

UNCLASSIFIED

AD NUMBER
AD805926
NEW LIMITATION CHANGE
TO Approved for public release, distribution unlimited
FROM Distribution authorized to U.S. Gov't. agencies and their contractors; Administrative/Operational Use; 07 DEC 1966. Other requests shall be referred to Naval Ordnance Station, Indian Head, MD.
AUTHORITY
NOS ltr, 10 Oct 1973

THIS PAGE IS UNCLASSIFIED

QUALITY ASSURANCE DEPARTMENT

Technical Memorandum Report 246

7 December 1966

GAS CHROMATOGRAPHIC DETERMINATION OF METHYL CENTRALITE
AND DIPHENYLAMINE IN 20-MM GUN PROPELLANT

By

Percy L. Alston
Laura J. Den Hartog
David H. Oesterling
James E. Shafer

NAVAL ORDNANCE STATION
Indian Head, Maryland

LESLIE R. OLSEN
Captain USNavy
Commanding Officer

JOE L. BROWNING
Technical Director

AD 805 926

FOREWORD

This report presents the results of gas-liquid chromatographic determinations of methyl centralite and diphenylamine in 20-mm gun propellant as of 15 October 1966. These results may be modified by future work. The Naval Ordnance Station, Indian Head, performed this work, which was done for the Ships Parts Control Center, Mechanicsburg, Pennsylvania.



D. G. Peacock
Head, Quality Control Division

Approved and Released by:



J. E. Henderson
Head, Quality Assurance Department

CONTENTS

<u>Headings</u>	<u>Page</u>
Foreword _____	iii
Abstract _____	vi
Introduction _____	1
Discussion _____	1
Results _____	3
Conclusions and Recommendations _____	3

TABLES

I. Concentrations of MC and DPA in Standard Solutions _____	3
II. Analysis of Methyl Centralite and Diphenylamine in Six Plant Samples _____	4
III. Analysis for Methyl Centralite and Diphenylamine in the MC-DPA Synthetic Samples _____	4

TMR 246

ABSTRACT

This report presents a rapid procedure for precise determinations of both methyl centralite (MC), also known as dimethyldiphenylurea, and diphenylamine (DPA). The sample is extracted with methylene chloride, removing the MC and DPA. The extract is blown to dryness with dry air, dissolved in ethylene dichloride, and analyzed on a Perkin-Elmer 226 Flame Chromatograph.

INTRODUCTION

Gas-liquid chromatography (GLC) separates similar substances by a process of differential migration. An inert, mobile gas phase carries the sample to be separated and analyzed through a thermostated column containing a liquid phase held immobile by a solid. Either gases or the vapors of liquids may comprise the sample carried by the inert carrier gas.

DISCUSSION

The 20-mm gun propellant presently contains both methyl centralite (MC), also known as dimethyldiphenylurea, and diphenylamine (DPA). MC reduces gun-barrel corrosion, thereby increasing the barrel life of the gun. DPA stabilizes the propellant and increases its storage life by absorbing the gaseous oxides of nitrogen formed as the propellant decomposes naturally. For these reasons appropriate amounts of both MC and DPA are required.

Since experience shows that 5.0% to 15.0% MC (by weight) and $0.50\% \pm 0.05\%$ DPA (by weight) give optimum propellant performance for 20-mm guns, the amounts of MC and of DPA should fall within these limits.

Presently the 65° C oven surveillance method is used to test the stability of gun propellants. A 45-gram sample is tightly closed in a bottle and placed in a 65° C oven; emission of nitrous oxide fumes indicates that the propellant is no longer stable. This surveillance method results in accelerated aging and is now used to predict the safe life of gun propellants. However, in addition to this qualitative surveillance method, the propellant industry desires a quantitative surveillance method which is both reliable and accurate. Since the available method of ultraviolet analysis does not meet the desired standards, this laboratory investigated quantitative analysis by GLC. Infrared analysis for MC was also studied, but it does not analyze for both components as does GLC.

Since MC melts at 120° C, and since DPA melts at 53° C and boils at 302° C, GLC analysis for these compounds should be carried out at a minimum column temperature of 250° C. An Apiezon L column was chosen to withstand this temperature. A helium pressure of 40 pounds was chosen empirically. A column of 5-foot length and 1/8-inch diameter packed with 15% Apiezon L on Chromasorb W was chosen for optimum reproducibility and resolution.

The experimental procedure is simple. Weigh accurately a 5.0 ± 0.1 -gram sample of 20-mm gun propellant and transfer the sample to an extraction thimble. Using a Soxhlet extraction apparatus on a steam bath, extract the sample for 24 hours with methylene chloride. Evaporate the extract to dryness with a stream of dry air. Transfer the residue with ethylene dichloride to a 25-ml volumetric flask and dilute to volume.

Prepare standards in 25-ml volumetric flasks containing both MC and DPA diluted with ethylene dichloride where the MC concentrations are ten times greater than those of the DPA (Table I). Inject the standards and samples into the chromatograph using the conditions given below.

Apparatus: Perkin-Elmer 226 Flame Chromatograph
(or equivalent)

Helium pressure: 40 lb

Flow rate: 5.0 cc He/min

Column: 5-ft length, 1/8-in. diameter, packed with
15% Apiezon L on Chromasorb W

Temperatures:

Block: 300° C

Column: 250° C

Detector: 190° C

Attenuation:

DPA: 1000×

MC: 5000×

Sample size: 4 μ l

Stream splitter: Open position with a restrictor ratio
of 1:300

Graphical treatment of data: Peak height plotted versus
concentration for a standard curve

Retention times:

Ethylene dichloride: 10 sec

DPA: 2 min

MC: 2.5 min

Both GLC and infrared analyses for MC were conducted on six samples of an actual 20-mm gun propellant (the six "plant" samples). These same samples were also analyzed for DPA by GLC. In addition, to test the applicability of GLC to these analyses over a range of MC and DPA compositions, a series of compounds (the synthetic samples) having varying amounts of MC and DPA were prepared and analyzed.

Table I
CONCENTRATIONS OF MC AND DPA IN
STANDARD SOLUTIONS

Standard solution no.	MC	DPA
	(mg MC/ml)	(mg DPA/ml)
1	4	0.4
2	6	0.6
3	8	0.8
4	10	1.0
5	12	1.2

RESULTS

Infrared and GLC analyses of MC in the six duplicate plant samples agree within experimental error (Table II). GLC analysis of the DPA in the same six plant samples showed that the DPA composition of these samples was within specification (Table II). Since DPA cannot be analyzed by the infrared method, the accuracy of the GLC analysis for DPA cannot be supported as is that for the MC.

However, the GLC analysis for both MC and DPA in the synthetic samples verifies the accuracy of the GLC analysis (Table III). The percent by weight of MC and DPA found by the GLC analysis in the synthetic samples agrees with the known percentage of these samples.

CONCLUSIONS AND RECOMMENDATIONS

These studies indicate that GLC is sufficiently precise, accurate, and simple to quantitatively determine MC and DPA in oven surveillance studies. In addition, usefulness of GLC in general surveillance studies should increase, since it can be adapted for routine use on other smokeless powders.

In future work, amounts of DPA and MC degradation products will be determined by GLC.

Table II
ANALYSIS OF METHYL CENTRALITE AND DIPHENYLAMINE IN
SIX PLANT SAMPLES

Sample no.	MC analysis		DPA analysis	
	Infrared analysis (% MC by wt)	GLC analysis (% MC by wt)	Infrared analysis (% DPA by wt) ¹	GLC analysis (% DPA by wt)
4900 A	5.50	5.45	None	0.48
4900 B	5.45	5.50	"	0.49
4998 A	5.00	5.20	"	0.47
4998 B	4.90	5.30	"	0.48
4999 A	5.00	4.85	"	0.50
4999 B	5.00	5.00	"	0.51
5024 A	4.95	4.70	"	0.46
5024 B	4.95	5.05	"	0.45
5025 A	4.65	4.70	"	0.46
5025 B	4.70	4.80	"	0.47
5073 A	5.00	5.10	"	0.50
5073 B	5.05	5.30	"	0.51

¹ No infrared method available for DPA analysis.

Table III
ANALYSIS FOR METHYL CENTRALITE AND DIPHENYLAMINE IN
THE MC-DPA SYNTHETIC SAMPLES

Sample no.	% MC (by wt) added	% MC (by wt) found by GLC analysis	% DPA (by wt) added	% DPA (by wt) found by GLC analysis
Synthetic 1	6.33	6.12	0.47	0.43
Synthetic 2	9.28	8.92	0.90	0.85
Synthetic 3	11.22	11.40	0.59	0.56
Synthetic 4	7.00	7.30	0.73	0.73
Synthetic 5	11.00	11.70	0.80	0.80

UNCLASSIFIED

Security Classification

DOCUMENT CONTROL DATA - R&D

(Security classification of title, body of abstract and indexing annotation must be entered when the over-all report is classified)

1. ORIGINATING ACTIVITY (Corporate author) Naval Ordnance Station Indian Head, Maryland		2a. REPORT SECURITY CLASSIFICATION Unclassified	
		2b. GROUP	
3. REPORT TITLE GAS CHROMATOGRAPHIC DETERMINATION OF METHYL CENTRALITE AND DIPHENYLAMINE IN 20-MM GUN PROPELLANT			
4. DESCRIPTIVE NOTES (Type of report and inclusive dates)			
5. AUTHOR(S) (Last name, first name, initial) Alston, Percy L., Den Hartog, Laura J., Oesterling, David H., and Shafer, James E.			
6. REPORT DATE 7 December 1966		7a. TOTAL NO. OF PAGES 4	7b. NO. OF REFS
8a. CONTRACT OR GRANT NO.		8a. ORIGINATOR'S REPORT NUMBER(S)	
a. PROJECT NO. Not applicable.		Technical Memorandum Report 246	
c.		8b. OTHER REPORT NO(S) (Any other numbers that may be assigned this report)	
d.			
10. AVAILABILITY/LIMITATION NOTICES Qualified requesters may obtain copies of this report from DDC. Foreign announcement and dissemination of this report by DDC is not authorized.			
11. SUPPLEMENTARY NOTES		12. SPONSORING MILITARY ACTIVITY Naval Ordnance Station Indian Head, Maryland	
13. ABSTRACT This report presents a rapid procedure for precise determinations of both methyl centralite (MC), also known as dimethyldiphenylurea, and diphenylamine (DPA). The sample is extracted with methylene chloride, removing the MC and DPA. The extract is blown to dryness with dry air, dissolved in ethylene dichloride, and analyzed on a Perkin-Elmer 226 Flame Chromatograph.			

KEY WORDS

Chemistry
 Chromatographic analysis, Gas-liquid
 Quantitative analysis

Propellant, Gun
 Stabilizers
 Methyl Centralite
 Diphenylamine
 Surveillance

LINK A

ROLE WT

LINK B

ROLE WT

LINK C

ROLE WT

INSTRUCTIONS

1. **ORIGINATING ACTIVITY:** Enter the name and address of the contractor, subcontractor, grantee, Department of Defense activity or other organization (*corporate author*) issuing the report.

2a. **REPORT SECURITY CLASSIFICATION:** Enter the overall security classification of the report. Indicate whether "Restricted Data" is included. Marking is to be in accordance with appropriate security regulations.

2b. **GROUP:** Automatic downgrading is specified in DoD Directive 5200.10 and Armed Forces Industrial Manual. Enter the group number. Also, when applicable, show that optional markings have been used for Group 3 and Group 4 as authorized.

3. **REPORT TITLE:** Enter the complete report title in all capital letters. Titles in all cases should be unclassified. If a meaningful title cannot be selected without classification, show title classification in all capitals in parentheses immediately following the title.

4. **DESCRIPTIVE NOTES:** If appropriate, enter the type of report, e.g., interim, progress, summary, annual, or final. Give the inclusive dates when a specific reporting period is covered.

5. **AUTHOR(S):** Enter the name(s) of author(s) as shown on or in the report. Enter last name, first name, middle initial. If military, show rank and branch of service. The name of the principal author is an absolute minimum requirement.

6. **REPORT DATE:** Enter the date of the report as day, month, year, or month, year. If more than one date appears on the report, use date of publication.

7a. **TOTAL NUMBER OF PAGES:** The total page count should follow normal pagination procedures, i.e., enter the number of pages containing information.

7b. **NUMBER OF REFERENCES:** Enter the total number of references cited in the report.

8a. **CONTRACT OR GRANT NUMBER:** If appropriate, enter the applicable number of the contract or grant under which the report was written.

8b, 8c, & 8d. **PROJECT NUMBER:** Enter the appropriate military department identification, such as project number, subproject number, system number, task number, etc.

9a. **ORIGINATOR'S REPORT NUMBER(S):** Enter the official report number by which the document will be identified and controlled by the originating activity. This number must be unique to this report.

9b. **OTHER REPORT NUMBER(S):** If the report has been assigned any other report numbers (*either by the originator or by the sponsor*), also enter this number(s).

10. **AVAILABILITY/LIMITATION NOTICE:** Enter any limitations on further dissemination of the report, other than those

imposed by security classification, using standard statements such as:

- (1) "Qualified requesters may obtain copies of this report from DDC."
- (2) "Foreign announcement and dissemination of this report by DDC is not authorized."
- (3) "U. S. Government agencies may obtain copies of this report directly from DDC. Other qualified DDC users shall request through _____."
- (4) "U. S. military agencies may obtain copies of this report directly from DDC. Other qualified users shall request through _____."
- (5) "All distribution of this report is controlled. Qualified DDC users shall request through _____."

If the report has been furnished to the Office of Technical Services, Department of Commerce, for sale to the public, indicate this fact and enter the price, if known.

11. **SUPPLEMENTARY NOTES:** Use for additional explanatory notes.

12. **SPONSORING MILITARY ACTIVITY:** Enter the name of the departmental project office or laboratory sponsoring (*paying for*) the research and development. Include address.

13. **ABSTRACT:** Enter an abstract giving a brief and factual summary of the document indicative of the report, even though it may also appear elsewhere in the body of the technical report. If additional space is required, a continuation sheet shall be attached.

It is highly desirable that the abstract of classified reports be unclassified. Each paragraph of the abstract shall end with an indication of the military security classification of the information in the paragraph, represented as (TS), (S), (C), or (U).

There is no limitation on the length of the abstract. However, the suggested length is from 150 to 225 words.

14. **KEY WORDS:** Key words are technically meaningful terms or short phrases that characterize a report and may be used as index entries for cataloging the report. Key words must be selected so that no security classification is required. Identifiers, such as equipment model designation, trade name, military project code name, geographic location, may be used as key words but will be followed by an indication of technical context. The assignment of links, roles, and weights is optional.